


Fenders User Guide



Contents

Overview.....	2
Specifications.....	2
Box Contents.....	2
Tools.....	2
Safety Information.....	3
Installation.....	3
Before You Ride.....	6
Accessory Care.....	6
ALSO Accessory Limited Warranty.....	6

Overview


The ALSO fenders are designed for both on-roading and off-roading, providing protection for the rider and the e-bike against dirt, water, debris, and mud kicked up by the tires. This document shares step-by-step installation instructions and best practices for long-term care.

Specifications

- Compatible tire size: 24 in x 2.6 in
- Mounting locations: Front and rear

Box Contents

Your box contains:



A	1x rear fender
B	1x front fender
C	10x threaded screws

Tools

Before you begin, have the following tools ready:

- 4 mm Allen key or the bike tool
- Torque wrench capable of 8 Nm (such as the one shipped with the TM-B)

Safety Information

⚠ WARNING: If you are not comfortable performing this installation or do not have the required tools, have the accessory installed by an ALSO qualified service partner or qualified bicycle mechanic. Improper installation may result in component failure, serious injury, or death.

⚠ WARNING: Debris caught between the fender and the tire, or between the spokes and fender struts, can damage the fender and cause potential accidents. DO NOT RIDE the e-bike if debris is present under the fender.

⚠ WARNING: Use only with TM-B models approved by ALSO. Use on other bicycles or modified bicycles may result in failure, loss of control, serious injury, or death.

⚠ CAUTION: Do not make any modifications to the fenders.


⚠ CAUTION: Check all screws before each ride to ensure the fenders are fastened securely and do not rattle.

⚠ CAUTION: Do not use the fenders after any crash, tip-over, or significant impact until they have been inspected. Bent or damaged components must be replaced and must not be repaired.


i IMPORTANT: ALSO fenders are compatible with ALSO supplied tires only.

Installation


1. Ensure the e-bike is positioned on its kickstand over level ground.
2. Maneuver the rear fender onto the wheel from behind until the holes on the fender struts align with the holes on the swingarm.



3. Using the Allen key, fasten a screw on each side to secure the fender struts onto the swingarm.




4. Fasten two screws to firmly secure the fender to the rear fender mounting bracket.




5. Locate the three holes on each side of the front fork dropout.

6. Turn the front wheel to one side. Squeeze the front fender's forward-facing struts between the fork and the wheel from behind.



7. Using three screws per side, fasten the fender struts onto the fork dropout.



8. Using the torque wrench, tighten every screw on both the front and rear fenders to 8 Nm.
9. Gently push and pull both fenders to make sure they are secured.
10. Check clearance to ensure that the fender does not rub against the rotating tire.

Before You Ride

The rider is responsible for ensuring accessories and cargo are securely fastened and do not interfere with safe operation of the bicycle. Before your first ride:

- Verify that all fasteners are tightened to the specified torque.
- Verify the accessory is securely attached, and steering, braking, suspension travel, drivetrain operation, and rider movement are not obstructed.
- Perform a short, low-speed test ride in a safe area before normal use.
- Verify that steering moves freely through its full range of motion before riding.
- Verify adequate clearance between the tires and cargo throughout the entire steering range and suspension travel.
- Ensure accessories and cargo do not obscure reflectors or lights, to improve visibility on the road.
- Check clearance to ensure that the fender does not rub against the rotating tire.

Accessory Care

- Use mild soap and water to clean off dirt and debris as needed.
- Recheck fastener torque after the first 25 miles (40 km) or first several rides, and periodically thereafter.

ALSO Accessory Limited Warranty

For warranty information and details on submitting warranty claims, refer to the ALSO website at: <https://ridealso.com/>

©2026 ALSO. Inc. All rights reserved.

All information in this document and all ALSO software is subject to copyright and other intellectual property rights of ALSO. Inc., its affiliates, or its licensors. Use of software embedded in the TM-B and the app are subject to applicable license terms. This material may not be modified, reproduced, or copied, in whole or in part, without the prior written permission of ALSO. Inc., its affiliates, or its licensors. ALSO, TM-B, Transcendent Mobility, DreamRide, Portal, and related marks are trademarks or registered trademarks of ALSO. Inc. and its affiliates in the United States and other countries. USB-C® is a registered trademark of USB Implementers Forum.

ALSO. Inc. (also referred to as "ALSO" herein) is constantly updating and improving its products. Software is updated using periodic Over-The-Air (OTA) updates, which can add, change, or remove features. For the latest information, always refer to the digital Accessory Guide on the website. PDFs or printed documents might be out of date.

Some features might not be available depending on your product configuration or region.

The images in this document are for illustrative purposes only. Depending on the product details and region, the information in this document may appear slightly different from your product. This guide is informational only and does not modify or expand any limited warranty provided with the product.

ALSO. Inc., 450 Lambert Ave, Palo Alto, CA 94306